



Fall protection

# AN218R2ADD

## ENERGY ABSORBING LANYARDS

Energy absorbing lanyard with adjustable length allowing the length to be adjusted and therefore reducing the air draft, if necessary



### Specific benefits



#### Hygiene

- Harnesses and textiles can be washed with neutral soap



#### Performance

- Certification above the maximum rated load of 100 kg: product certified at 140 kg
- Strap with improved abrasion resistance and certified for use on sharp edges

### Applications

- Public works
- Finishing works / Craftsmanship
- Automotive
- Storage

### Certifications and norms



CE CATEGORY

**EN355**

HORIZONTAL CERTIFICATION  
RFU 11.062  
140 KG

### Protects against risks



Fall



Fall protection

# AN218R2ADD

## ENERGY ABSORBING LANYARDS

Energy absorbing lanyard with adjustable length allowing the length to be adjusted and therefore reducing the air draft, if necessary

### Standards - Details

### Technical details

|                                     |  |
|-------------------------------------|--|
| Type of equipment                   | Braided rope lanyard   |
| Composition of the main support     | Steel, Polyamide, Polyester  |
| Length (m)                          | 2  |
| Adjustment                          | Adjustable by means of a reducing loop on the rope   |
| Rope diameter (mm)                  | 12   |
| With connector                      | yes  |
| Color                               | White-Black  |
| Connector (user side)               | Automatic lock hook, steel, opening 19mm   |
| Ending                              | 1 loop sewn thimble  |
| Connector (structure side)          | 2 automatic lock hooks, steel, opening 55 mm   |
| Lifespan from manufacturing (years) | 10   |
| Weight (kg)                         | 1,97   |
| Fall arrest work situations         | Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection |
| Lenght (ft)                         | 6.5616   |








Fall protection

# AN218R2ADD

## ENERGY ABSORBING LANYARDS

Energy absorbing lanyard with adjustable length allowing the length to be adjusted and therefore reducing the air draft, if necessary

### Logistics information

| Reference  | Colour      | Size       | Designation | EAN13         | Box code       |  |  | Weight   |  |  |  |
|------------|-------------|------------|-------------|---------------|----------------|---|---|----------|---|---|---|
| AN218R2ADD | White-Black | 1.50 → 2 m | AN218R2ADD  | 3295249265106 | 13295249265103 | 5   | 1   | 11.54 kg | 29.5 cm   | 45.5 cm   | 28.0 cm   |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height