



Fall protection

AN218S200CDD

ENERGY ABSORBING LANYARDS

Compact, 2-metre double energy-absorbing lanyard with patented system, guaranteeing great freedom of movement for short distances.



Specific benefits



Hygiene

- Harnesses and textiles can be washed with neutral soap



Performance

- Certification above the maximum rated load of 100 kg: product certified at 140 kg
- Strap with improved abrasion resistance and certified for use on sharp edges



Durability

- Thermo-retractable tube to extend the life of lanyards

Certifications and norms



CE CATEGORY

EN355

HORIZONTAL CERTIFICATION
RFU 11.062
140 KG

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Power Energy

Protects against risks



Fall



Fall protection

AN218S200CDD

ENERGY ABSORBING LANYARDS

Compact, 2-metre double energy-absorbing lanyard with patented system, guaranteeing great freedom of movement for short distances.

Standards - Details

Technical details

| | |
|-------------------------------------|--|
| Type of equipment | Braided rope lanyard with thermoformable sheath |
| Composition of the main support | Steel, Polyamide, Polyester |
| Length (m) | 2 |
| Rope diameter (mm) | 10,5 |
| With connector | yes |
| Color | White-Black |
| Connector (user side) | Screw carabiner, steel, opening 18mm |
| Benefits element | Leading edge |
| Ending | 2 sewn thimble loops |
| Connector (structure side) | 2 automatic lock hooks, steel, opening 55 mm |
| Lifespan from manufacturing (years) | 10 |
| Weight (kg) | 1,97 |
| Fall arrest work situations | Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection |
| Lenght (ft) | 6.5616 |








Fall protection

AN218S200CDD

ENERGY ABSORBING LANYARDS

Compact, 2-metre double energy-absorbing lanyard with patented system, guaranteeing great freedom of movement for short distances.

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|--------------|-------------|------|--------------|---------------|----------------|---|---|---------|---|---|---|
| AN218S200CDD | White-Black | 2 m | AN218S200CDD | 3295249235901 | 13295249235908 | 5 | 1 | 10.8 kg | 29.4 cm | 45.6 cm | 27.4 cm |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height